## Anti-Vibration and Precision Leveling

## **MHD-Series Precision Leveling Mounts**

The MHD-Series leveling mount is ideal for machines exerting large horizontal and vertical thrust forces, where a secure, high-precision connection between bedding element and machine is demanded. A unique, patented design allows the MHD mount to absorb impacts from injection molding machines to achieve improved operation

molding machines to achieve improved operatio and economy. The product absorbs impulses and shocks in high-speed machinery, where damping material is critical.

The Sunnex MHD mount consists of the following components: impact housing, pressure plate, pressure cylinder, and integrated adjustable screw with nut and washer. This structure guarantees precision leveling to 1/100 mm throughout its leveling range, with no change in natural

frequency. In addition, an integral locking device prevents the MHD from coming apart during installation or during relocation of the machine. Single machine set-up points are bolted directly to the mount.

The damping pad is carefully engineered to support static and dynamic loads. It also has a specific stiffness, designed to minimize machine deflection caused by dynamic forces. The elastomer can be customized based on thickness and surface profile to meet specific design requirements.

Additionally, spherical washers can be supplied as an optional extra for uneven support surfaces and floors. These washers are interchangeable with any standard MHD interface design.



## **Advantages**


sunnex

- Excellent horizontal dynamic stability Reduced overall height
- Unique design up to 1.18 inches (30 mm)
- Effective vibration isolation improves production output
- Easy installation and relocation
- Minimal lateral deflection
- Allows fine height adjustment under full loads

See our Online Specifications:

www.sunnexmounts.com/mounts/MHD.htm






## **Applications**

- Injection Molding Machines
- Extrusion Machines
- Blow Molders
- Granulators
- Machine Tools
- Milling Machines
- Measuring Machines
- Grinders





Fn vs. Stress MHD Machine Mount

	mile madmic mount									
	160 丁									
	140 -									
	120 -	— SP714								
(Z)	100 -	— 3F/14								
Frequency (Hz)	80 -									
Frequ	60 -									
	40 -									
	20 -									
	0 +	15 30 45 60 70 85 100 115 130 145 160 175 190 200 215 230 245 260 275 290 Stress (psi)								

Item No.	Model	Load (lbs)	Height, h (in)	Adjustment, A (in)	Diameter, D (in)	Thread type d	Length, L (in)
48003	MHD 130	3300	2.36	0.70	5.50	M16-1.5 x 150	4.33
48003	MHD 165	6000	2.36	0.95	6.85	M20-1.5 x 150	4.15
48009	MHD 190	8800	2.36	0.95	7.80	M20-1.5 x 150	4.15
48012	MHD 240	12000	3.15	1.10	9.65	M24-2.0 x 150	3.54

Includes one nut & washer set